

Small Size – High Performance

PFC100 Controller



HIGH-PERFORMANCE JUST GOT SMALLER

Newest Member of the PFC Family

Built-in network and data security tools



750-8100



750-8101

Advanced, 64 bit high speed processor, built-in web server, micro SD card slot and sizeable onboard memory

PFC100 Controller

The all-new PFC100 joins WAGO's next-generation of **e!RUNTIME**-programmable controllers. WAGO's PFC100 controller boasts an extremely space-saving design paired with high-performance processing and memory capabilities.

Carefully engineered, WAGO's ultra-compact PFC100 joins its market-leading sibling, the PFC200, in blending the best of two software worlds into one device: Linux® and CODESYS.

When combined with **e!COCKPIT**, PFC100 is the ideal platform for advanced and intuitive CODESYS 3-based engineering.

The controller has an integrated Web server, allowing visualization in HTML5 format. OPC UA and comprehensive security features, including SSL/TLS, SSH, VPN and firewall, make the PFC100 the complete package.

For more information, visit www.wago.us/pfc100

Cost-effective project development via e!COCKPIT engineering software



750-8102



750-8101/025-000

Extremely compact and maintenance-free design saves space and money



Programmable Controller	Dimensions (WxHxL) mm/In.	Program Memory	Retained Memory	Ethernet Ports	Serial Port	Power Module	Operating Temperature
750-8100	50x65x100 1.96x2.56x3.93	10 MB	64 KB	2 RJ45 (configurable)	No	No	0 °C to +55 °C
750-8101	62x65x100 2.44x2.56x3.93	12 MB	64 KB	2 RJ45 (configurable)	No	Yes	0 °C to +55 °C
750-8102	62x65x100 2.44x2.56x3.93	12 MB	128 KB	2 RJ45 (configurable)	Yes RS-232/485 (configurable)	Yes	0 °C to +55 °C
750-8101/025-000	62x65x100 2.44x2.56x3.93	12 MB	64 KB	2 RJ45 (configurable)	No	Yes	-20 °C to +60 °C
750-8102/025-000	62x65x100 2.44x2.56x3.93	12 MB	128 KB	2 RJ45 (configurable)	Yes RS-232/485 (configurable)	Yes	-20 °C to +60 °C

WAGO Corporation

N120 W19129 Freistadt Road
Germantown, Wisconsin 53022
Telephone: 800 / DIN Rail (346-7245)
Fax: 262 / 255-3232
info.us@wago.com
www.wago.us

Canada

WAGO Corporation
Tel. 800/DIN Rail (346-7245)
Fax 262/255-3232
www.wago.ca

Mexico

WAGO Corporation
Queretaro
Tel. 001/800/309/5975
+ 52/442/221/5946
Fax + 52/442/221/5063
www.wago.mx